

ILLINOIS POLLUTION CONTROL BOARD
August 23, 2021


MAREK KRUK,)
)
 Complainant,)
)
 v.)
) PCB 20-10
 NEW TRIER HIGH SCHOOL) (Citizens Enforcement - Noise)
)
 Respondent.)

HEARING OFFICER ORDER

A telephonic status conference was scheduled for August 24, 2021. Due to a scheduling conflict, the August 24, 2021, conference is cancelled and rescheduled to the date and time noted below.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on September 9, 2021, at 10:00 a.m. The telephonic status conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing. The respondent will provide the call-in number.

IT IS SO ORDERED.




Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center, Suite 11-500
100 W. Randolph Street
Chicago, Illinois 60601
312.814.8917
Brad.Halloran@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on August 23, 2021, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on August 23, 2021:

Don Brown
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
100 W. Randolph Street, Suite 11-500
Chicago, Illinois 60601
(312) 814-8917

@ Consents to electronic service

SERVICE LIST

PCB 2020-010@
Kenneth M. Florey
Robbins Schwartz Nicholas Lifton
and Taylor, Ltd.
55 W. Monroe, Suite 800
Chicago, IL 60603

PCB 2020-010@
Margaret L. McNair
Robbins Schwartz Nicholas Lifton
and Taylor, Ltd.
55 W. Monroe, Suite 800
Chicago, IL 60603

PCB 2020-010@
Mark Kruk
124 Woodland Ave.
Winnetka, IL 60093