

Tom Stukel  
629 Fair Oaks Ave  
Oak Park, IL 60302-1737  
(708) 387-9749

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Tom Stukel

Jim Javenkoski  
5127 N Claremont Ave  
Chicago, IL 60625-1872

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jim Javenkoski

Stephen French  
29 Pine Circle Dr  
Tuscola, IL 61953-2024  
(217) 417-0920

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Stephen French

Clarence Brown  
4605 Golf Rd  
Skokie, IL 60076-1209  
(847) 679-5199

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Clarence Brown

Barbara Sullivan  
2229 N Brighton Pl  
Arlington Heights, IL 60004-3349  
(847) 870-0484

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Barbara Sullivan

Wendy Burgess  
630 Cedar St  
Park Ridge, IL 60068-3304  
(847) 430-3890

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Wendy Burgess

Qiyuan Zhou  
777 Inland Cir  
Naperville, IL 60563-0206  
(630) 362-1910

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Qiyuan Zhou

Steven Downing  
1418 Brush Hill Cir  
Naperville, IL 60540-4010  
(630) 717-0095

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Steven Downing



Kristin Pampel  
625 W Jackson Blvd Apt 502  
Chicago, IL 60661-5537  
(773) 354-5023

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kristin Pampel

Beth Braun  
4457 N Malden St  
Chicago, IL 60640-6277  
(847) 846-5611

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Beth Braun

Susan Uyeda  
6012 Carol Ave  
Morton Grove, IL 60053-2936

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Susan Uyeda

Kris Zwicky  
28 Cedar Rim Trl  
Galena, IL 61036-9265

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kris Zwicky

Kris Zwicky  
28 Cedar Rim Trl  
Galena, IL 61036-9265

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kris Zwicky

Ellen L  
535 N Ridgeland Ave  
Oak Park, IL 60302-2328

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Ellen L

Anthony Gibson  
6710 S Claremont Ave  
Chicago, IL 60636-2448  
(773) 606-0094

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Anthony Gibson

Chuck Quilty  
3601 6th Ave  
Apt 320  
Moline, IL 61265-2465  
(309) 797-3431

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,



Curt Peterson  
PO Box 63  
Palatine, IL 60078-0063  
(847) 912-6319

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Curt Peterson

Deb Christensen  
191 W Adams St  
Manteno, IL 60950-1439  
(815) 468-3676

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Deb Christensen

Kristin West  
111 Tenney St  
Kewanee, IL 61443-3447  
(309) 299-2395

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kristin West

Kristin West  
111 Tenney St  
Kewanee, IL 61443-3447  
(309) 299-2395

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Kristin West

Sasimar Sangchantr  
Chicago  
Chicago, IL 60657

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Sasimar Sangchantr

Abby S.  
0s615 Prince Crossing Rd.  
Winfield, IL 60190-0642

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Abby S.

Darlene Grossman  
3827 W Sherwin Ave  
Lincolnwood, IL 60712-1021

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Darlene Grossman

Robert Linzmeier  
950 E Wilmette Rd  
Palatine, IL 60074-6812  
(847) 555-1212

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Robert Linzmeier



Robert Linzmeier  
950 E Wilmette Rd  
Palatine, IL 60074-6812  
(847) 555-1212

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Robert Linzmeier

Dr. Karol Sue Reddington  
5 Wheaton Ctr  
Wheaton, IL 60187-4983  
(630) 510-8475

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Dr. Karol Sue Reddington

Nayeem Aslam  
429 N Hamilton Ave  
Villa Park, IL 60181-1733  
(630) 916-7157

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Nayeem Aslam

Jim Stuhlmacher  
1580 N Blanchard Ct  
Wheaton, IL 60187-3761  
(630) 690-4890

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jim Stuhlmacher

Jeanine Freeberg  
1111 N Western Ave Apt 4n  
Chicago, IL 60622-5968

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jeanine Freeberg

Ann Gaines  
1165 County Line Rd  
Highland Park, IL 60035-4501  
(847) 433-5514

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Ann Gaines

Bill Franz  
8 E Kenilworth Ave  
Villa Park, IL 60181-2632

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Bill Franz

Aj Arjona  
6903 173rd Pl  
Tinley Park, IL 60477-3429  
(708) 925-1127

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Aj Arjona



Denisia Sanders  
8541 Major Ave  
Morton Grove, IL 60053-3128  
(847) 965-5344

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Denisia Sanders

Patricia Pruitt  
1032 Randolph St  
Oak Park, IL 60302-3406  
(708) 848-9806

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Patricia Pruitt

Lawrence Malito  
34 Old Creek Rd  
Palos Park, IL 60464-1409  
(708) 712-5056

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Lawrence Malito

Jeffrey Sanders  
1577 Winnetka Rd  
Glenview, IL 60025-1821  
(847) 657-6431

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Jeffrey Sanders

Cheryl Ivey  
W Margate  
Chicago, IL 60640-3789  
(773) 271-5678

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Cheryl Ivey

James Alstrum  
809 N School St  
Normal, IL 61761-1328  
(309) 454-4627

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
James Alstrum

Lisa Udel  
1022 W Lafayette Ave  
Jacksonville, IL 62650-1861  
(210) 824-4086

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Lisa Udel

Erin Papp-Monzon  
1164 Evergreen Ave  
Naperville, IL 60540-5108

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Erin Papp-Monzon



Beverly Reckers  
466 1st St  
Antioch, IL 60002-1250  
(847) 395-0780

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Beverly Reckers

Beverly Reckers  
466 1st St  
Antioch, IL 60002-1250  
(847) 395-0780

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Beverly Reckers

Beverly Reckers  
466 1st St  
Antioch, IL 60002-1250  
(847) 395-0780

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,  
Beverly Reckers