

Beverly Reckers
466 1st St
Antioch, IL 60002-1250
(847) 395-0780

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Beverly Reckers

Beverly Reckers
466 1st St
Antioch, IL 60002-1250
(847) 395-0780

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Beverly Reckers

Jodi Hanson
618 S Cleveland Ave
Arlington Heights, IL 60005-2754

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jodi Hanson

Kristen Pellegrini
751 Teasel Ln
Aurora, IL 60504-5358

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Kristen Pellegrini

Rosalie Mcmenamin
1338 N Wicker Park Ave
Chicago, IL 60622-3106
(773) 276-1663

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Rosalie Mcmenamin

Olivia Mcfadyen
2553 W Cullom Ave
Chicago, IL 60618-1501

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Olivia Mcfadyen

Peter Lee
6360 Joliet Rd Apt D49
Countryside, IL 60525-7288
(815) 508-1263

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Peter Lee

Erin Hassan
4116 Crail Rd
Champaign, IL 61822-8540
(217) 419-6509

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Erin Hassan

Cathy Silvern
4618 Washington St
Apt 3b
Skokie, IL 60076-2591
(847) 329-4666

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. RI5-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,

Eugene Goldman
2220 Founders Dr
Northbrook, IL 60062-5478
(847) 509-8082

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Eugene Goldman

Vincent Hardt
29w424 Butternut Ln
Warrenville, IL 60555-2632
(630) 393-2544

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Vincent Hardt

Peter Solt
2301 Ravenswood
Chgo., IL 60618-3014

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Peter Solt

Joshua Herman
2542 Old Glenview Rd
Wilmette, IL 60091-3117
(847) 728-0165

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Joshua Herman

Cheryl Zenko
10835 W Macarthur Dr
Beach Park, IL 60087-2319
(847) 249-9979

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Cheryl Zenko

Nancy Voss
306 S Prospect Ave
Champaign, IL 61820-4715
(217) 356-0924

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-2I (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Nancy Voss

Hannah Wend
565 Park View Ter
Buffalo Grove, IL 60089-9106
(847) 459-6190

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Hannah Wend

Alma Caballero
2820 Thayer St
Evanston, IL 60201-1347

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Alma Caballero

Debbie Brown
445 Shannon Rd
Deerfield, IL 60015-4516
(847) 948-5142

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Debbie Brown

Joan Mundstock
709 Cambridge Dr
Schaumburg, IL 60193-2664
(847) 895-2864

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Joan Mundstock

Irina Pechenik
5251 Galitz St
Skokie, IL 60077-3669
(847) 677-2595

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Irina Pechenik

Sharon Sullivan
16435 S Arbor Dr
Plainfield, IL 60586-1039
(815) 254-4661

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Sharon Sullivan

Jeff Green
102 S Maple St
Frankfort, IL 60423-1414
(815) 469-5334

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jeff Green

Jack Osborne
421 Sandy Ln
Wilmette, IL 60091-3160
(773) 682-4239

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jack Osborne

Carla Burke
2105 Prentiss Dr Apt 206
Downers Grove, IL 60516-2291
(630) 890-9959

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Carla Burke

Laura Winston
1213 Central St Apt C
Evanston, IL 60201-1689
(860) 964-0198

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Laura Winston

Meredith Tucker
498 Inverway
Inverness, IL 60067-4350

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Meredith Tucker

Georgette French
513 School St
Winslow, IL 61089-9434

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Georgette French

Brandon Kozak
216 N Fillmore St
Edwardsville, IL 62025-1756
(630) 795-9206

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Brandon Kozak

Laurie Manis
1900 6th Ave Apt 705
Rock Island, IL 61201-8150
(309) 428-8687

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Laurie Manis

Cle Spearman Sr
636 Jefferson Ave
Venice, IL 62090-1114

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Cle Spearman Sr

Corey Parker
1912 Kingsley Dr
Schaumburg, IL 60194-2651
(847) 209-4417

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Corey Parker

Chuck Stransky
5060 N Marine Dr Apt E1
Chicago, IL 60640-3213
(773) 649-9192

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Chuck Stransky

Leslie Little
304 E Belle Ave
Rantoul, IL 61866-1804
(217) 892-2870

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Leslie Little

Clara Speer
3309 Richmond Ave
Mattoon, IL 61938-2124

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Clara Speer

Janet Rowe
113 S Euclid Ave # A
Oak Park, IL 60302-2905

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Janet Rowe

Michael Smith
1311 Northfield Ct
Harvard, IL 60033-3817
(847) 420-3137

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Michael Smith

Pam K
827 Kendall St
Geneva, IL 60134-3239
(630) 845-8738

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Pam K

Helen Martin
7269 N Lakeside Ct
Peoria, IL 61614-1144
(309) 694-3056

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegey ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegey and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Helen Martin

Jenifer Hartman
1603 Imperial Dr
Glenview, IL 60026-1543
(847) 729-5034

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Jenifer Hartman

Nancy Strickland
204 Kiowa St
Edwardsville, IL 62025-1828
(618) 741-3264

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Nancy Strickland

Leslie Little
304 E Belle Ave
Rantoul, IL 61866-1804
(217) 892-2870

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Leslie Little

Ruth Humphrey
416 Tazewood Rd
Metamora, IL 61548-7302
(309) 444-4900

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynege ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Ruth Humphrey

Cary Cox
Chicago
Chicago, IL 60640

Jul 16, 2015

Illinois Pollution Control Board

Subject: Re: Case No. R15-21 (Rulemaking - Air)

Dear Illinois Pollution Control Board ,

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been overburdened with air pollution for decades and this rule making provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule. Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.

Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities. The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.

Require a stronger emissions limit at the Dynegy ED Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls. The agreement established by Dynegy and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and ED Edwards plants are causing unsafe air in Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Sincerely,
Cary Cox