

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

RECEIVED
CLERK'S OFFICE

AUG 28 2015

STATE OF ILLINOIS
Pollution Control Board

PC#196

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Ardis L. Doolin

Name Ardis L. Doolin Address 13858 High Rd., Lockport, IL
Phone 815-671-2651 Email a.doolin@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

197

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Liana Neuman Address 3108 Shelly Ct Woodridge IL
Phone 630-217-8818 Email -

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

198

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Sally Downey Address 716 S Wolston Romeoville IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

199

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Cathy Resnick Address 1530 Ludington
Phone _____ Email Romeoville

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

200

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy’s Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing “combined pollutant standard” that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy’s Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name *May Kay Renck* Address *1521 Ludington Romeoville IL*
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

201

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Carole Angarska Address 655 S. Northland Way
Phone _____ Email _____ Romeoville

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

202

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name *Dorothy M. Perez* Address *635 S. Cadillac Cir.*
 Phone _____ Email *Romeoville, IL 60446*

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

203

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegey Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegey and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Robert Johnson Address 1219 Clark Dr. Peoria, IL
Phone 630-879-2712 Email RUBENJOHNSON@comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

204

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Keith Ann Address 631 N. STATE ST Lkpt.
Phone (815)210-2255 Email buildingmpiac@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

205

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy’s Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing “combined pollutant standard” that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy’s Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Nicole Plymness Nelson Address 1302 Prodehl Dr., Lockport, IL 60441
 Phone 815-302-2558 Email nicplynel@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

206

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Joanne Colagrossi Address 17225 Comolwe Lockport
Phone - Email -

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

207

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Anthony Posuech. Address 534 E. 17th St. Lockport, IL
Phone 779-279-3172 Email anthony.joseph.fine.artist@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

208

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Mary Kessler

Name _____ Address 509 Peokery Ln.
Phone 815-630-2345 Email |

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

209

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Jenifer E. Garlitz Address 717 Cowles Ave. Joliet, IL
Phone 815-483-3376 Email jenifer@garlitz.org 60435

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

210

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Gwen Smith Address 1943 Hamelton Ln Peoria Ill 14
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

211

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Sheila Tyler Address 670 Cadillac Cir. Romeoville
Phone _____ Email _____ IL 60446

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

2/2

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name JEANIE GRISCHKAT Address 653 Northland Romeoville
Phone (630) 340-7275 Email 198158@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

213

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Maureen Stengel Address 1631 Cadillac Cr.
Phone 815 577 1939 Email mauree

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

214

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Lucille De Laurica Address 1467 W. Flint Lane Romeoville
Phone 815-782-5206 Email jdelaucia@aol.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

215

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Janet Gehrig Address 733 Rolland St Romeoville
 Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

2/16

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name *Gene Edward* Address *757 S. Ballou Ln.*
Phone _____ Email *Romeoville*

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

217

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Cheryl Plesha Address 682 Cadillac Cr. Romeoville, IL
Phone _____ Email _____

July 2015

Jim

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

218


Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully, 

Name JAMES HEALY Address 1511 JONES ST., JOLIET, IL
Phone 815-741-3420 Email ROOTTOINLOVE@AOL.COM

Danny

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

219

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Samuel Healy Address 1511 Jones Street
 Phone 815 263 4592 Email dan.healy@live.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

220

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Madonna Wojtaszko-Healy Address 1511 Jones St.
Phone (815) 741-3420 Email madonnawoj@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

221

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Beverly Adelman Address 518 Homestead Pl. Joliet
Phone 815-741-3141 Email bevadelmann@gmail.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

277

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Sharon Kavanaugh Address 22845 Patricia Ln, Channahon, IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

223

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Linda Petroch Address 915 Lynwood Ct.
Phone 815 341 0909 Email Shorewood, IL 60404

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

224

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Tari Ambler Address 628 Pleasant Dr - Shorewood
60404
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

225

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name THOMAS L GARLITZ Address 717 COWLES AVE, JOCIET IL 60431
 Phone 815 630 7466 Email tlg@garlitz.org

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

226

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Emma Sticklen Address 409 W. Bevan Dr., Joliet
Phone 815-546-4848 Email emma.sticklen44@gmail.com 60438

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

227

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an *hourly* limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynege Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynege and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air across the State of Illinois. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Shirley DuVal Address Joliet, IL
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

228

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Bob Swear Address 14508 S Boulder
Phone 7238447691 Email RobSwear14508@Comcast.net

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

229

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Ryan Beltr Address 16353 Deer Run Dr.
Phone 815-715-0178 Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

230

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy’s Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing “combined pollutant standard” that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy’s Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Robert Moya Address 13813 SECRETARIAT
 Phone _____ Email ORLAND PARK IL.

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

231

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name DJ Halicky Address South Holland IL
Phone 708 217-3910 Email did68niou1@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

232

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,



Name JOHN TURNER Address Orland Park
Phone 630-540-8105 Email john@jabberwok.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

Re: Case No. R15-21 (Rulemaking - Air)

233

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non-Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect Will County communities and beyond.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy E.D. Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and E.D. Edwards plants are causing unsafe air in counties where 871,258 Illinoisans call home. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Nick Swier Address 6206 W. 128 Pl, Pals HTS, IL 60460
Phone 708-539-5915 Email swiss52169@yahoo.com

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

234

Re: Case No. R15-21 (Rulemaking - Air)

Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name Thomas Hauert Address 449 N. Rockwing Rd. Palatka IL 60074
Phone _____ Email _____

July 2015

Illinois Pollution Control Board
c/o John Therriault
Clerk of the Board
James R. Thompson Center
100 W. Randolph
Suite 11-500
Chicago, Illinois 60601

235

Re: Case No. R15-21 (Rulemaking - Air)


Dear Members of the Illinois Pollution Control Board and the Joint Committee on Administrative Rules:

I am writing to respectfully request that you withhold approval of the proposed Non- Attainment Plan for the 1-Hour Sulfur Dioxide National Ambient Air Quality Standards until the draft rule is strengthened in several areas. The Lemont and Pekin Non-Attainment areas have been over-burdened with air pollution for decades and this rulemaking provides a critical opportunity to restore safer air quality to these communities. However, the rule as currently written falls short of protecting communities from unsafe air. The draft rule must be strengthened in the following ways before it can be approved:

- **Require NRG Energy's Will County plant to comply with long-standing pollution reduction requirements and reject the proposed exemption from state law contained in the draft rule.** Our families have already waited too long for this plant to reduce its pollution, and have watched as NRG decided to close or clean up plants in other communities. The draft rule contains a surprise exemption for NRG to avoid compliance with the long-standing "combined pollutant standard" that was designed to reduce harmful emissions across Illinois. The Board and the Committee should reject this exemption to protect the Romeoville community.
- **Require NRG Energy's Powerton coal plant to comply with an hourly limit on its sulfur dioxide emissions to adequately protect community members in the Peoria and Pekin communities.** The proposed 30-day averaging limit for the plant is insufficient and leaves families, particularly people with chronic respiratory illnesses and children, vulnerable to short-term spikes in pollution, which is the exact danger EPA identified when it set a 1-hr standard, rather than a 30-day standard.
- **Require a stronger emissions limit at the Dynegy Ed Edwards coal plant along with an expedited date for the installation of sulfur dioxide pollution controls.** The agreement established by Dynegy and the state of Illinois is lacks detail regarding the plan and timeline for installing pollution controls.

The Will County, Powerton and Ed Edwards plants are causing unsafe air in counties where XXX,XXX Illinoisans call home.. As a community member impacted by these sources of pollution, I request that you make these critical improvements to the rule-making to protect my air quality.

Respectfully,

Name  Address 506 Stephanie Dr, Lockport
Phone 815-715-7795 Email rdealey727@gmail.com