


STATE OF ILLINOIS  
Pollution Control Board

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on June 29, 2016, at 1:00 p.m. The telephonic status conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

A handwritten signature in black ink, reading "Bradley P. Halloran", is written over a horizontal line.


Bradley P. Halloran, Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center, Suite 11-500  
100 W. Randolph Street  
Chicago, Illinois 60601  
312.814.8917  
[Brad.Halloran@illinois.gov](mailto:Brad.Halloran@illinois.gov)

# CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed and mailed, first class, on June 16, 2016, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on June 16, 2016:

John T. Therriault  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601



Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center  
100 West Randolph Street, Suite 11-500  
Chicago, Illinois 60601  
312.814.8917

@ Consents to electronic service

## SERVICE LIST

PCB 2015-139 @  
Joseph R. Podlewski, Jr.  
Podlewski & Hanson, P.C.  
4721 Franklin Avenue  
Suite 1500  
Western Springs, IL 60558-1720

PCB 2015-139 @  
Heidi E. Hanson  
Podlewski & Hanson, P.C.  
4721 Franklin Ave. Suite 1500  
Western Springs, IL 60558-1720

PCB 2015-139  
Highland Hills Sanitary Dist.  
566 East 13<sup>th</sup> Place  
Lombard, IL 60148

PCB 2015-139 @  
Lawrence A. Stein  
Aronberg Goldgehn et al.  
One IBM Plaza, Suite 1700  
Chicago, IL 60611